

\*注1： ( ) は受注生産品

\*注2： Pは平織 / PBは平織 (糸径大) / HC&Pは平織 (糸径小) / 1:2Tは1:2綾織 / 2:2Tは2:2綾織 / 4:4Tは4:4綾織 / 1:7Tは1:7朱子織

NO.	標準規格 Standard number	Sefar number	目開き Opening ( $\mu$ m)	糸径 Yarnthickness ( $\mu$ m)	メッシュ Mesh	空間率 Openin g ratio (%)	厚さ Cloth thickness ( $\mu$ m)	幅 Width (cm)  *注1	素材 Material	織り方 Weave  *注2
SN-1	ASTM6-3360	06-3300/59	3300	1000	5.8	59	1840	(102), 190	PA 6	P
SN-2	ASTM8-2380	06-2400/55	2400	850	7.9	55	1550	102	PA 6	P
SN-3	ASTM10-2000	06-2000/53	2000	750	9.1	53	1450	102, 158	PA 6	P
SN-4	12GG-1800	PA-12GG-1800	1800	500	11.2	61	910	115, 142	PA 6	P
SN-5	ASTM12-1680	06-1700/50	1700	695	10.7	50	1350	(104)	PA 6	P
SN-6	14GG-1600	PA-14GG-1600	1600	450	12.7	60	790	108, 136	PA 6	P
SN-7	ASTM14-1410	06-1400/49	1400	610	12.7	49	1160	(102), 158	PA 6	P
SN-8	15GG-1400	PA-15GG-1400	1400	450/405	14.2	59	758	136	PA 6	P
SN-9	16GG-1320	PA-16GG-1320	1320	405	14.7	59	770	108, 136	PA 6	P
SN-10	17GG-1250	PA-17GG-1250	1250	405/360	15.5	58	700	115, 136	PA 6	P
SN-11	ASTM16-1190	06-1200/47	1200	555	14.5	47	1090	(142)	PA 6	P
SN-12	18GG-1180	PA-18GG-1180	1180	360	16.5	59	650	110, 136, 158	PA 6	P
SN-13	19GG-1120	PA-19GG-1120	1120	360	17	58	640	136	PA 6	P
SN-14	20GG-1000	PA-20GG-1000	1000	330	19.1	57	605	108, 136	PA 6	P
SN-15	ASTM18-1000	06-1000/44	1000	515	17	44	1025	110, 142	PA 6	P
SN-16	22GG-950	PA-22GG-950	950	305	20.3	57	560	112, 136, (158)	PA 6	P
SN-17	23GG-900	PA-23GG-900	900	305	21.1	56	600	(115), 136, (158)	PA 6	P
SN-18	24GG-850	PA-24GG-850	850	305	22.1	53	555	115, 136, (158)	PA 6	P
SN-19	ASTM20-840	06-850/46	850	405	20.3	46	800	109	PA 6	P
SN-20	26GG-800	PA-26GG-800	800	290	23.9	53	550	115, 136, 158	PA 6	P
SN-21	27GG-750	PA-27GG-750	750	290	24.6	52	495	115, 158	PA 6	P
SN-22	28GG-710	PA-28GG-710	710	265	26	53	485	115, 136, 158	PA 6	P
SN-23	ASTM25-710	06-700/44	700	355	24.1	44	650	112	PA 6	P
SN-24	30GG-670	PA-30GG-670	670	272	27.4	53	475	115, 136, 158	PA 6	P
SN-25	31GG-630	PA-31GG-630	630	245	29	53	440	115, 136, 158	PA 6	P
SN-26	32GG-600	PA-32GG-600	600	245	30	51	440	115, 136, 158	PA 6	P
SN-27	ASTM30-590	06-600/41	600	335	27.4	41	630	115	PA 6	P
SN-28	34GG-560	PA-34GG-560	560	245	31	49	415	115, 136	PA 6	P
SN-29	36GG-530	PA-36GG-530	530	230	33.8	50	400	115, 136, 158	PA 6	P
SN-30	38GG-500	PA-38GG-500	500	230	35	47	425	115, 136, 158	PA 6	P
SN-31	ASTM35-500	06-500/38	500	315	31.2	38	580	115, 158	PA 6	P
SN-32	40GG-475	PA-40GG-475	475	215	38	48	355	115, 136, 158	PA 6	P
SN-33	HC-475	06-475/56	475	180	39.9	56	290	108	PA 6	P
SN-34	42GG-450	PA-42GG-450	450	205	39.1	48	360	115, 136, 158	PA 6	P
SN-35	44GG-425	PA-44GG-425	425	205	40.6	46	365	115, 136, 158	PA 6	P
SN-36	ASTM40-420	06-430/38	430	272	36.3	38	510	(152)	PA 6	P
SN-37	45GG-400	PA-45GG-400	400	190	43	47	330	115, 136, 158	PA 6	P
SN-38	DIN16-400	06-400/38	400	250	39.1	38	450	106, 122	PA6	P
SN-39	47GG-375	PA-47GG-375	375	190	44.5	47	310	115, 136, 158	PA6	P
SN-40	50GG-355	PA-50GG-355	355	170	49.3	48	300	115, 136, 158	PA6	P
SN-41	ASTM45-350	06-350/35	350	240	43.2	35	400	103	PA6	P
SN-42	NY350-HC	06-350/42	350	190	47	42	330	115	PA6	P
SN-43	52GG-335	PA-52GG-335	335	170	51.3	46	300	115, 136, 158	PA6	P
SN-44	54GG-315	PA-54GG-315	315	170	53.3	44	300	115, 136, 158	PA6	P
SN-45	58GG-300	PA-58GG-300	300	151	55.1	45	250	115, 136, 158	PA6	P
	3XXX-300		300	151	55.1	45	250	115, 136, 158	PA6	P
SN-46	3XX-300	PA-3-300	300	100+2x60/100	61/64	54	215	(158)	PA66	P
SN-47	3MF-300	PA-3MF-300	300	122	59.7	51	200	158	PA66	P
SN-48	NY-300	03-300/51	300	122	61	51	200	102, 153	PA66	P
SN-49	ASTM50-297	06-300/34	300	215	49.5	34	390	115, 158, (186)	PA6	P
SN-50	60GG-280	PA-60GG-280	280	155	60.5	45	255	115, 136, 158	PA6	P
	4XXX-280	PA-4XXX-280	280	155	60.5	45	255	115, 136, 158	PA6	P
SN-51	4XX-280	PA-4-280	280	100+2x60/100	65/67	53	205	115	PA66	P

SN-52	4MF-280	PA-4MF-280	280	122	63.5	51	210	158	PA66	P
SN-53	62GG-275	PA-62GG-275	275	155	61.2	44	255	115	PA6	P
SN-54	64GG-265	PA-64GG-265	265	155	63.5	37	290	115, 136, 158	PA6	P
SN-55	66GG-250	PA-66GG-250	250	122	67.3	46	205	115, 136, 158	PA66	P
	5XXX-250	PA-5XXX-250	250	122	67.3	46	205	115, 136, 158	PA66	P
SN-56	5XX-250	PA-5-250	250	100+2x60/90	70/75	51	210	115	PA66	P
SN-57	5MF-250	PA-5MF-250	250	103	72.4	51	170	158	PA66	P
SN-58	ASTM60-250	06-250/34	250	180	58.4	34	290	102, 142	PA6	P
SN-59	NY-250	03-250/50	250	103	72.4	50	170	102	PA66	P
SN-60	68GG-243	PA-68GG-243	243	122	71.1	44	220	115	PA66	P
SN-61	70GG-236	PA-70GG-236	236	122	71.1	44	210	115, 136, 158	PA66	P
SN-62	72GG-224	PA-72GG-224	224	122	73.7	42	200	115, 136, 158	PA66	P
SN-63	74GG-212	PA-74GG-212	212	122	76.2	40	215	115, 136, 158	PA66	P
	6XXX-212	PA-6XXX-212	212	122	76.2	40	215	115, 136, 158	PA66	P
SN-64	6XX-212	PA-6-212	212	90+2x60/80	81/76	49	185	115, 136	PA66	P
SN-65	ASTM70-210	PA-6HD-210	210	155	69.9	33	275	115, 154	PA66	P
SN-66	7XXX-200	PA-7XXX-200	200	122	76.2	39	225	115, 136, 154	PA66	P
SN-67	7XX-200	PA-7-200	200	80+2x60/80	85/91	48	185	115, 136, 158	PA66	P
SN-68	7S-200	7S-200	200	80+2x70/60	81/94	50	140	136, 165	PA66	S
SN-69	7MF-200	PA-7MF-200	200	105	82.6	44	175	(136), 158	PA66	P
SN-70	7P-200	03-200/54	200	73	94	54	125	102	PA66	P
SN-71	NY-200	03-200/47	200	92	86.4	47	150	102, (158)	PA66	P
SN-72	NY190-HC	03-190/57	190	62	102	57	100	102	PA66	P
SN-73	8XXX-180	PA-8XXX-180	180	105	91.4	39	165	115, 136, 158	PA66	P
SN-74	8XX-180	PA-8-180	180	80+2x60/70	91/102	46	150	115, 136, 158	PA66	P
SN-75	8MF-180	PA-8MF-180	180	93	92.7	43	155	(136), 158	PA66	P
SN-76	NY180-HD	03-180/44	180	93	94	44	155	102	PA66	P
SN-77	ASTM80-177	03-177/34	177	125	83.8	34	220	115, 158	PA66	P
SN-78	P-170	03-170/54	170	62	109	54	100	102	PA66	P
SN-79	NY165-HD	03-165/44	165	83	103	44	140	102, 158	PA66	P
SN-80	8 ½ XXX-160	PA-8 ½ XXX-160	160	105	95	37	165	115, 136, 158	PA66	P
SN-81	8 ½ XX-160	PA-8 ½ -160	160	70+2x60/70	102/111	44	165	115, 136, 158	PA66	P
SN-82	8 ½ MF-160	PA-8 ½ MF-160	160	95	102	42	155	158	PA66	P
SN-83	NY160-HC	03-160/53	160	61	116	53	100	102	PA66	P
SN-84	NY151-HC	03-151/42	151	83	109	42	145	115	PA66	P
SN-85	9XX-150	PA-9-150	150	70+2x60/60	108/121	44	155	115, 136, 158	PA66	P
SN-86	9S-150	9S-150	150	70+2x60/60	102/122	44	129	136	PA66	S
SN-87	9MF-150	PA-9MF-150	150	83	109	43	145	(136), 158	PA66	P
SN-88	9P-150	03-150/50	150	62	119	50	95	102	PA66	P
SN-89	9XXX-150	PA-9XXX-150	150	93	104	38	155	115, 136, 158	PA66	P
	ASTM100-149		150	93	104	38	155	115, 136, 158	PA66	P
SN-90	9 ½ XXX-140	PA-9 ½ XXX-140	140	95	112	37	159	115, 136, 158	PA66	P
SN-91	9 ½ XX-140	PA-9 ½ -140	140	60+2x60/60	109/127	42	145	115, 136	PA66	P
SN-92	9 ½ S-140	9 ½ S-140	140	60+2x60/60	112/127	43		136	PA66	S
SN-93	9 ½ MF-140	PA-9 ½ MF-140	140	83	114	41	130	(136), 158	PA66	P
SN-94	HC-136	03-130/52	130	50	142	52	80	102	PA66	P
SN-95	10XXX-132	PA-10XXX-132	132	83	114	40	130	115, 136, 158	PA66	P
SN-96	10XX-132	PA-10-132	132	60+2x50/60	119/132	44	130	115, 136, 158	PA66	P
SN-97	10MF-132	PA-10MF-132	132	75	126	43	125	(136), 158	PA66	P
SN-98	10 ½ XX-125	PA-10 ½ -125	125	60+2x50/60	123/137	40	135	115, 136, 158	PA66	P
SN-99	10 ½ S-125	10 ½ S-125	125	60+2x50/60	124/137	41	125	136	PA66	P
SN-100	10 ½ MF-125	PA-10 ½ MF-125	125	75	135	41	135	158	PA66	P
SN-101	ASTM120-125	PA-10 ½ XXX-125	125	85	124	37	137	115, 136, 158	PA66	P
	10 ½ XXX-125		125	85	124	37	137	115, 136, 158	PA66	P
SN-102	NY-125	03-125/39	125	75	127	39	135	102, 154	PA66	P
SN-103	NY125-HC	03-125/45	125	62	137	45	100	102, 158	PA66	P
SN-104	NY120-HC	03-120/49	120	51	150	49	80	102	PA66	P
SN-105	11XXX-118	PA-11XXX-118	118	85	124	37	137	115, 136, 158	PA66	P
SN-106	11XX-118	PA-11-118	118	60+2x50/50	128/151	42	115	115, 136, 158	PA66	P
SN-107	11MF-118	PA-11MF-118	118	77	135	41	120	(136), 158	PA66	P
SN-108	12XXX-112	PA-12XXX-112	112	77	135	37	125	115, 136, 158	PA66	P
SN-109	12XX-112	PA-12-112	112	60+2x50/50	131/156	40	115	115, 136, 158	PA66	P
SN-110	12S-112	12S-112	112	60+2x50/50	135/157	40	119	136	PA66	S
SN-111	12MF-112	PA-12MF-112	112	62	146	42	110	(136), 158	PA66	P

SN-112	12P-112	03-110/47	110	51	158	47	75	102	PA66	P
SN-113	12 ½ XX-106	PA-12 ½ -106	106	60+2x50/50	140/165	40	120	136	PA66	P
SN-114	NY103-HC	03-103/39	103	62	155	39	105	(102), 153	PA66	P
SN-115	ASTM140-105	03-100/32	100	77	145	32	125	115, 136, 158	PA66	P
	13XXX-100	PA-13XXX-100	100	77	145	32	125	115, 136, 158	PA66	P
SN-116	13XX-100	PA-13-100	100	60+2x50/50	145/169	38	105	115, 136, 158	PA66	P
SN-117	13MF-100	13S-100	100	60+2x50/50	145/170	38	134	136	PA66	P
SN-118	NY100-HC	PA-13MF-100	100	62	158	39	105	(136), 158	PA66	P
SN-119	14XXX-95	03-100/44	100	51	168	44	80	102	PA66	P
SN-120	14XX-95	PA-14XXX-95	95	77	154	33	130	158	PA66	P
SN-121	14 ½ XX-90	PA-14-95	95	50+2x43/50	155/175	38	90	136, 158	PA66	P
SN-122	NY90-HC	PA-14 ½ -90	90	50+2x43/50	159/182	37	95	136	PA66	P
SN-123	ASTM170-88	03-90/49	90	39	198	49	60	115	PA66	P
SN-124	14 ½ XXX-90	14 ½ XXX-90	90	65	170	36	100	136, (158)	PA66	P
SN-125	15XX-85	PA-15-85	85	50+2x43/50	165/188	34	98	136	PA66	P
SN-126	17XXX-80	PA-17XXX-80	80	65	173	35	105	115, 136	PA66	P
SN-127	17XX-80	PA-17-80	80	50+2x43/43	173/206	35	92	(136)	PA66	P
SN-128	17P-80	03-80/41	80	46	203	41	75	102	PA66	P
SN-129	NY-80	03-80/37	80	52	193	37	80	102, (154)	PA66	P
SN-130	HDSuper-79	03-74/21	74	89	155	21	155	115	PA66	1:2T
SN-131	20XX-75	PA-20-75	75	50+2x43/43	178/215	34	93	136	PA66	P
SN-132	21XX-71	PA-21-71	71	50+2x39/43	188/223	33	94	(115)	PA66	P
SN-133	21P-70	03-70/41	70	39	234	41	60	115, 152	PA66	P
SN-134	NY70-HD	03-70/33	70	53	206	33	80	102	PA66	P
SN-135	NY65-HD	03-65/25	65	65	196	25	110	102	PA66	P
SN-136	HC-65	03-65/39	65	42	241	39	64	(102)	PA66	P
SN-137	HD-64	03-64/32	64	53	229	32	80	102	PA66	P
SN-138	NY64-HC	03-64/45	64	33	265	45	50	108	PA66	P
SN-139	25XX-63	PA-25-63	63	43+2x43/43	198/239	30	95	115, 136	PA66	P
SN-140	ASTM230-62	03-60/35	60	47	241	35	76	110	PA66	P
	DIN100-60	03-60/35	60	47	241	35	76	110	PA66	P
SN-141	NY60-HD	03-60/32	60	47	229	32	75	148	PA66	P
SN-142	HC-58	03-55/32	55	42	264	32	65	102	PA66	P
SN-143	ASTM270-53	03-50/31	50	40	285	31	60	109, 153	PA66	P
SN-144	21T-53	03-53/30	53	2x43/43	366/264	30	100	108	PA66	P
SN-145	HC-53	03-50/37	50	33	307	37	50	102, 150	PA66	P
SN-146	NY50-HD	03-48/26	48	47	269	26	75	102	PA66	P
SN-147	DIN110-50	03-48/31	48	38	297	31	60	102, 154	PA66	P
	HC-48	03-48/31	48	38	297	31	60	102, 154	PA66	P
SN-148	DIN120-45	03-38/22	38	43	315	22	70	102	PA66	P
SN-149	ASTM325-44	03-37/24	37	39	335	24	60	102, 153	PA66	P
SN-150	NY41-HC	03-41/31	41	33	345	31	50	108, 158	PA66	P
SN-151	ASTM400-37	03-36/28	36	33	371	28	50	104	PA66	P
SN-152	25TIXX-35	03-35/16	35	43/2x43	255	16	97	115	PA66	1:2T
SN-153	NY31-HC	03-31/24	31	33	401	24	55	102	PA66	1:2T
SN-154	NY30-HD	03-30/18	30	40	361	18	60	108	PA66	P
SN-155	NY-30	03-28/17	28	40	376	17	65	102	PA66	1:2T
SN-156	P-25	03-25/19	25	33	442	19	55	102, 150	PA66	P
SN-157	NY22-HC	03-22/14	22	40	432	14	65	(154)	PA66	P
SN-158	NY20-HC	03-20/14	20	34	478	14	55	102, 144	PA66	P
SN-159	HC-15	03-15/10	15	35	513	10	60	102	PA66	P
SN-160	HD-10	03-11/6	11	36	546	6	65	102	PA66	P
SN-161	NY10-HD	2003/10/3	10	45	466	3	50	102	PA66	2:2T
SN-162	NY10-HC	03-10/2	10	30	483	2	45	102	PA66	P
SN-163	NY7-HD Super	03-7/2	7	45/2x31	419/2x343	1.5	60	102	PA66	2:2T
SN-164	NY6-HD	03-6/5	6	37	700/470	5	100	115	PA66	1:7T
SN-165	NY5-HC	03-5/1	5	37	700/470	1	100	115	PA66	4:4T
SN-166	NY1-HD	03-1/1	1	37	699/470	0.8	75	115	PA66	1:7T